

DRILL AND CHISEL HAMMER BMH 32-XE



Art. No.	0702 543 2
P. Qty.	1
Nominal voltage	230 V/AC
Power input	900 W
Min./max. idle speed	0-760 U/min(rpm)
Min./max. impact rate	0-3600 U/min(rpm)
Impact energy	4.2 J
Tool holding device	Suitable for SDS-plus
Min./max. drilling diameter in concrete	6-32 mm
Weight of machine	4.7 kg
Cable length	4 m

Contents for Art. No.	Designation	Art. No.	Number
	Hammer drill bit with SDS-plus drive arbor Duo-S Diameter 12.0 mm; Length 210 mm	0648 312 210	1
	Hammer drill bit with SDS-plus drive arbor Duo-S Diameter 14.0 mm; Length 210 mm	0648 314 210	1
0702 543 2	Hammer drill bit with SDS-plus drive arbor Duo-S Diameter 16.0 mm; Length 260 mm	0648 316 260	1
	SDS drill chuck	0708 543 076	1
		0708 543 089	1
	Maintenance spray	0893 051 702	1
	System case 8.4.2	5581 011 000	1

Durable hammer drill and chisel hammer in the top SDS-plus performance class for drilling diameters up to 32 mm in concrete.

Rapid drilling progress and extremely smooth running The anti-vibration system protects the user's joints. Shorter drilling times with high impact power.

Eliminates the need for an additional chipping hammer in many cases

Chisel function with 4.2-joule impact power

Effortless work

The 24 lockable chisel settings allow adjustment to any working angle.

Warranty

2 Years Warranty on manufacturing and material defects. Excluded are damages caused by improper use, overloading or failure to observe the operating instructions. The current WÜRTH MASTER warranty conditions must be observed.