

CORDLESS IMPACT DRILL DRIVER ABS 18 POWER COMBI M-CUBE®





Contents for Art. No. 5701 405 004		
Designation	Art. No.	Quantity
System case 8.4.2	5581 011 000	1
Battery Li-Ion 18 V/4.0 Ah M-CUBE Basic	5704 180 000	2
Charger ALG 18/4 Basic	5705 180 000	1
Case insert for ABS 18 POWER/COMBI	5801 842 404	1



Electronic motor protection function:

Continuous motor monitoring increases its service life, since the motor is shut off quickly in the event of overloading, overheating or a jam.



Brushless motor:

Longer working life of the EC-motors, low-maintenance, as carbon brushes do not have to be changed. More efficient and powerful motor with reduced size.



Drill chuck:

13 mm solid metal drill chuck with carbide jaws for optimal retention of the clamped tool.



24-step adjustment option:

Precise and effective working due to ideal torque adjustment and optimum pull-through.

Very powerful, handy cordless impact drill driver with selectable hammer drill mechanism and a torque of 140 Nm, developed by Würth to meet the requirements of tradesmen.

 Fast adaptation to the respective application

The function selector switch allows easy, fast switching between screwdriving, drilling and impact drilling.

Robust design

For tough conditions on construction sites, all components can also withstand a fall from normal working heights.

 Continuous motor monitoring The electronic motor protection function switches the motor off ahead of time in the event of blockage, overloading or overheating.

Long motor service life

- 13 mm Röhm metal drill chuck with soldered carbide clamping jaws
- Electronic signal switch

Well-lit working area

LED lamp on the battery block

Warranty

2 Years Warranty on manufacturing and material defects. Excluded are damages caused by improper use, overloading or failure to observe the operating instructions. 6 months Warranty on batteries. The current WÜRTH MASTER warranty conditions must be observed.

Art. No.	5701 405 004
P. Qty.	1
M. O. Qty.	1
Nominal voltage	18 V/DC
Idle speed 1st/2nd gear min./max.	0-0 / 0-0 U/min(rpm)
Max. torque hard/soft	140 / 60 Nm
Max. impact rate	0 U/min(rpm)
Min./max. drill chuck span width	1.5-13 mm
Weight of machine with rechargeable battery	2.3 kg



Function selector switch:

Easy and quick change between screwing, drilling and percussion drilling.