

Battery-powered drill screwdriver ABS 18 BASIC M-CUBE

Compact and powerful 18-volt cordless drill driver for light to medium-duty drilling and screwdriving applications

For convenient and effortless work, even with applications above head height and in confined areas

Highly compact and ergonomic design with low weight.

Continuous monitoring of the motor

The electronic motor protection function switches the motor off ahead of time in the event of blockage, overloading or overheating.

Safe clamping of tools

Metal drill chuck with ratchet/locking function securely and reliably clamps tools from 1.5-13 mm.

Well-lit working area

LED lamp on the battery block.

Warranty

2 Years Warranty on manufacturing and material defects. Excluded are damages caused by improper use, overloading or failure to observe the operating instructions. 6 months Warranty on batteries. The current WÜRTH MASTER warranty conditions must be observed.

Nominal voltage	18 V/DC
Idle speed 1st/2nd gear min./max.	0-500/0-1600 rpm
Max. torque hard/soft	50/25 Nm
Min./max. drill chuck span width	1.5-13 mm
Max. drilling diameter in steel	10 mm
Max. recommended drilling diameter in metal	10 mm
Max. screw diameter	8 mm
Length	186 mm
Height	243 mm
Weight of machine with rechargeable battery	1.6 kg



Illustration only





Drill chuck holder	Included in delivery	Number of recharge- able batteries/ batteries	Rechargeable battery/ battery capacity	Art. no.	P. Qty.
1/2 inch x 20 UNF	Batteries not included;	0 PCS	O Ah	5701 408 000	1
1/2 Inch x 20 UINF	included	0 PCS	O An	3701 408 000	
1 /0 : 1 00 !!	With 2 x 2 Ah batteries;	o pec	0.41	5701 400 004	,
1/2 inch x 20 UNF	additional accessories not included	2 PCS	2 Ah	5701 408 004	
	With 2 x 2 Ah batteries;				
	additional accessories not	2 PCS	2 Ah	5701 408 005	1
	included				



Details/Application



Electronic motor protection function:



Continuous motor monitoring increases its service life, since the motor is shut off quickly in the event of overloading, overheating or a jam.


16-stage adjustment:



Precise and effective working through ideal torque setting and optimum throughput.

Contents for art. no. 5701 408 004		
Designation	Art. no.	Quantity
Battery-powered drill screwdriver ABS 18 BASIC M-CUBE	5701 408 000	1
Battery Li-ion 18 V BASIC M-CUBE 2 Ah	5703 420 000	2
Charger ALG 18 V M-CUBE ALG 18/4 BASIC	5705 180 000	1
Case insert for MASTER machines	5801 842 408	1
System case 8.4.2	5581 011 000	1
Contents for art. no. 5701 408 005		
Designation	Art. no.	Quantity
System case 8.4.2	5581 011 000	1
Battery Li-ion 18 V BASIC M-CUBE 2 Ah	5703 420 000	2
Charger ALG 18 V M-CUBE ALG 18/4 BASIC	5705 180 000	1
Case insert for MASTER machines	5801 842 408	1

Related products	Art. no.
System case 8.4.2	5581 011 000
System Cuse 6.4.2	3381 011 00





Related products	Art. no.
Battery Li-ion 18 V BASIC M-CUBE 5 Ah	5703 450 000
Charger ALG 18 V M-CUBE ALG 18/6 FAST	5705 860 000
Case insert for MASTER machines	5801 842 408
Safety goggles Cetus®X-treme	

	Related products for	Designation	Art. no.
_	5701 408 000	Twist drill HSS DIN 338 SMART STEP	0624 930 600
		Precision wood twist drill bit HSCo	0650 810 800
	5701 408 004	Twist drill HSS DIN 338 SMART STEP	0624 930 600
		Precision wood twist drill bit HSCo	0650 810 800