

Battery-powered impact drill driver BS 28-A COMBI

Extremely powerful, high-performance, compact 28 V cordless impact drill driver with lithium-ion technology. Choose the battery power you need with PICK YOUR POWER.

Additional impact mode

For impact drilling in stone and masonry

Ideal for applications involving high torque

Improved, more powerful motor

Low weight, high performance battery with no memory effect

Lithium-ion technology

Continuous monitoring of the battery capacity

Charge status display on the battery

Overload protection

Minimises the risk of overload damage to machine or battery.

Long shelf life and optimal power transmission

High-quality 2-speed planetary gear unit with aluminium housing

Tool-free drill bit change

Quick-action drill chuck with spindle lock and low-wear carbide inserts

Gives all the light you need when working

LED lighting

Warranty


2 Years Warranty on manufacturing and material defects. Excluded are damages caused by improper use, overloading or failure to observe the operating instructions. 6 months Warranty on batteries. The current WÜRTH MASTER warranty conditions must be observed.



| | |
|---|-----------|
| Nominal voltage | 28 V/DC |
| Max. torque hard/soft | 90/55 Nm |
| Max. impact rate | 28800 rpm |
| Min./max. drill chuck span width | 1.5-13 mm |
| Weight of machine with rechargeable battery | 3.1 kg |
| Max. drilling diameter in softwood | 50 mm |

| | |
|---------------------------------|--------|
| Max. drilling diameter in steel | 16 mm |
| Max. screw diameter | 10 mm |
| Length | 250 mm |
| Height | 270 mm |

| Included in delivery | Number of rechargeable batteries/batteries | Rechargeable battery/battery capacity | Art. no. | P. Qty. |
|---|--|---------------------------------------|--------------------|---------|
| Batteries not included; with additional accessories | 0 PCS | 0 Ah | 0700 647 02 | 1 |
| 2 x 3 Ah batteries; with additional accessories | 2 PCS | 3 Ah | 0700 647 3 | 1 |



Details/Application



| Contents for art. no. 0700 647 02 | | |
|-----------------------------------|---------------------|----------|
| Designation | Art. no. | Quantity |
| Handle | 0706 647 017 | 1 |
| Case insert for MASTER machines | 0955 031 617 | 1 |
| System case 8.4.2 | 5581 011 000 | 1 |
| Contents for art. no. 0700 647 3 | | |
| Designation | Art. no. | Quantity |
| Phillips bit PH2; Length 25 mm | 0614 176 461 | 1 |
| Pozidriv bit PZ2 | 0614 176 652 | 2 |
| Pozidriv bit PZ3 | 0614 176 653 | 1 |
| Universal holder E 6.3 (1/4") | 0614 176 711 | 1 |
| Bit box, empty | | 1 |
| AW® bit 20 | 0614 512 0 | 2 |
| AW® bit 30 | 0614 513 0 | 1 |
| AW® bit 40 | 0614 514 0 | 1 |
| Charger AL 60-LI-2 | 0700 857 | 1 |
| Battery Li-ion 28 V 3 Ah | 0700 957 730 | 2 |
| Handle | 0706 647 017 | 1 |
| Case insert for MASTER machines | 0955 031 617 | 1 |
| System case 8.4.2 | 5581 011 000 | 1 |

| Related products | | Art. no. |
|--|--------------------------|---------------------|
| Power pack LI-28 V with charger and 2 batteries 5 Ah | | 5703 800 250 |
| Related products for | Designation | Art. no. |
| 0700 647 02 | Charger AL 60-LI-2 | 0700 857 |
| | Battery Li-ion 28 V 3 Ah | 0700 957 730 |