

Tool case 93 pieces

The ideal choice for use on the move

Extensive set

All common tools in one case

High-quality case

Plastic case with snap lock


Number of pieces in assortment/set	93 PCS
Length x width x height	423 x 360 x 86 mm

Art. no. 0965 93 180

P. Qty.: 1



Details/Application



Contents for art. no. 0965 93 180

Designation	Art. no.	Quantity
Slotted screwdriver With round shank 1.2 x 6.5 mm	0613 231 065	1
Slotted screwdriver With round shank 0.6 x 3.5 mm	0613 231 735	1
PH screwdriver With round shank 1	0613 232 01	1
PH screwdriver With round shank 2	0613 232 02	1
1/4 inch screwdriver With continuous shank Blade length 110 mm	0613 430 310	1
Connector DIN 7427 1/4 inch	0614 176 680	1
1/2 inch ratchet With turntable switching	0712 012 0	1
1/4 inch ratchet With turntable switching	0712 014 0	1
1/2 inch socket wrench insert metric, hexagon, short 10 mm; Length 36 mm	0712 131 110	1
1/2 inch socket wrench insert metric, hexagon, short 11 mm	0712 131 111	1
1/2 inch socket wrench insert metric, hexagon, short 12 mm	0712 131 112	1
1/2 inch socket wrench insert metric, hexagon, short 13 mm; Length 36 mm	0712 131 113	1
1/2 inch socket wrench insert metric, hexagon, short 14 mm	0712 131 114	1
1/2 inch socket wrench insert metric, hexagon, short 15 mm	0712 131 115	1
1/2 inch socket wrench insert metric, hexagon, short 16 mm	0712 131 116	1
1/2 inch socket wrench insert metric, hexagon, short 17 mm; Length 36 mm	0712 131 117	1
1/2 inch socket wrench insert metric, hexagon, short 18 mm	0712 131 118	1
1/2 inch socket wrench insert metric, hexagon, short 19 mm; Length 36 mm	0712 131 119	1
1/2 inch socket wrench insert metric, hexagon, short 20 mm	0712 131 120	1
1/2 inch socket wrench insert metric, hexagon, short 21 mm	0712 131 121	1
1/2 inch socket wrench insert metric, hexagon, short 22 mm; Length 38 mm	0712 131 122	1

Contents for art. no. 0965 93 180

Designation	Art. no.	Quantity
1/2 inch socket wrench insert metric, hexagon, short 24 mm; Length 38 mm	0712 131 124	1
1/2 inch socket wrench insert metric, hexagon, short 26 mm	0712 131 126	1
1/2 inch socket wrench insert metric, hexagon, short 27 mm; Length 44 mm	0712 131 127	1
1/2 inch socket wrench insert metric, hexagon, short 28 mm	0712 131 128	1
1/2 inch socket wrench insert metric, hexagon, short 30 mm; Length 44 mm	0712 131 130	1
1/2 inch socket wrench insert metric, hexagon, short 32 mm; Length 44 mm	0712 131 132	1
1/2 inch extension Length 125 mm	0712 138 105	1
1/2 inch extension Length 250 mm	0712 138 110	1
1/2 inch cardan joint With a braked joint to fix the specified position	0712 138 301	1
1/4 inch socket wrench insert, metric short 4 mm; Length 22 mm	0713 111 104	1
1/4 inch socket wrench insert, metric short 5 mm; Length 22 mm	0713 111 105	1
1/4 inch socket wrench insert, metric short 5.5 mm; Length 22 mm	0713 111 155	1
1/4 inch socket wrench insert, metric short 6 mm; Length 22 mm	0713 111 106	1
1/4 inch socket wrench insert, metric short 7 mm; Length 22 mm	0713 111 107	1
1/4 inch socket wrench insert, metric short 8 mm; Length 22 mm	0713 111 108	1
1/4 inch socket wrench insert, metric short 9 mm; Length 22 mm	0713 111 109	1
1/4 inch socket wrench insert, metric short 10 mm; Length 22 mm	0713 111 110	1
1/4 inch socket wrench insert, metric short 11 mm; Length 22 mm	0713 111 111	1
1/4 inch socket wrench insert, metric short 12 mm; Length 22 mm	0713 111 112	1
1/4 inch socket wrench insert, metric short 13 mm; Length 22 mm	0713 111 113	1
1/4 inch socket wrench insert, metric short 14 mm; Length 22 mm	0713 111 114	1
1/4 inch extension 53 mm	0713 118 102	1
1/4 inch extension 100 mm	0713 118 104	1
1/4-inch cardan joint With a braked joint to fix the specified position Tip type Outer square	0713 118 301	1
Combination wrench, short type 8 mm	0713 301 08	1
Combination wrench, short type 9 mm	0713 301 09	1
Combination wrench, short type 10 mm; Length 140 mm	0713 301 10	1
Combination wrench, short type 11 mm	0713 301 11	1
Combination wrench, short type 12 mm	0713 301 12	1
Combination wrench, short type 13 mm; Length 170 mm	0713 301 13	1
Combination wrench, short type 14 mm	0713 301 14	1
Combination wrench, short type 16 mm	0713 301 16	1
Combination wrench, short type 17 mm; Length 205 mm	0713 301 17	1
Combination wrench, short type 19 mm; Length 230 mm	0713 301 19	1
Combination wrench, short type 22 mm; Length 260 mm	0713 301 22	1
Water pump pliers DIN ISO 8976	0714 02 71	1
Combination pliers DIN ISO 5746	0715 01 575	1
Transparent single-pole voltage tester	0715 53 05	1
Machinist's hammer German design in accordance with DIN 1041	0715 731 40	1
RW® bit RW10, Length 25 mm	0614 70 10	1
RW® bit RW20, Length 25 mm	0614 70 20	2
RW® bit RW25, Length 25 mm	0614 70 25	1
RW® bit RW30, Length 25 mm	0614 70 30	2
RW® bit RW40, Length 25 mm	0614 70 40	2
C 6.3 PH bit (1/4 inch) With colour coding PH1, Length 25 mm	0614 176 274	1
C 6.3 PH bit (1/4 inch) With colour coding PH2, Length 25 mm	0614 176 461	2
C 6.3 PH bit (1/4 inch) With colour coding PH3, Length 25 mm	0614 176 648	1
C 6.3 PZ bit (1/4 inch) PZ1, Length 25 mm	0614 176 651	2
C 6.3 PZ bit (1/4 inch) PZ2, Length 25 mm	0614 176 652	2
C 6.3 PZ bit (1/4 inch) PZ3, Length 25 mm	0614 176 653	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX10, Length 25 mm	0614 311 0	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX15, Length 25 mm	0614 311 5	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX20, Length 25 mm	0614 312 0	2

Contents for art. no. 0965 93 180

Designation	Art. no.	Quantity
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX25, Length 25 mm	0614 312 5	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX30, Length 25 mm	0614 313 0	2
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX40, Length 25 mm	0614 314 0	1
Hexagon socket bit 3 mm, Length 25 mm	0614 176 93	1
Hexagon socket bit 4 mm, Length 25 mm	0614 176 94	1
Hexagon socket bit 5 mm, Length 25 mm	0614 176 95	1
Hexagon socket bit 6 mm, Length 25 mm	0614 176 96	1
Slotted bit 0.6 x 4.5 mm, Length 25 mm	0614 175 652	1
Slotted bit 0.8 x 5.5 mm, Length 25 mm	0614 175 653	1
Slotted bit 1.2 x 6.5 mm, Length 25 mm	0614 175 655	1
Universal holder, magnetic With quick-change chuck and permanent magnet Length 60 mm	0614 176 753	1