

Machine bag with plastic bottom

Robust bag for transporting machines

Plenty of storage space

- 1 external pocket with zip
- 1 external pocket with hook and loop fastener for battery charger
- 2 external pockets for batteries
- 5 additional external pockets
- 3 inside pockets for batteries

Maximum protection

Stable, water-resistant plastic bottom



Length x width x height	450 x 315 x 340 mm
Width x depth x height (external dimension)	315 x 300 x 340 mm
Material	PES - Polyester
Colour	Black, Grey
Max. load capacity	20 kg
Product weight (per item)	2900 g

Art. no. 0715 930 251

P. Qty.: 1

Details/Application





Power tools and batteries not included in scope of delivery



Battery charger not included in the scope of delivery

Notice

Machines, batteries and battery charger shown are not included in the scope of delivery

HKS 63 COMPACT hand-held circular saw



Compact and precise hand-held circular saw

- Compact and powerful circular saw with speed preselection for cuts up to 63 mm in depth
- Precise cutting results thanks to the WÜRTH guide rail system
- Variable speed control makes it ideal for use with a wide range of materials

2-year Würth power tool guarantee on wear and tear damages.

The guarantee is subject to the current terms and conditions, which must be followed.


2 Years Warranty on manufacturing and material defects

Excluded are damages caused by improper use, overloading or failure to observe the operating instructions.

Art. no. 5706 610 0

P. Qty.: 1

Details/Application



Nominal voltage	230 V/AC
Protection class	Protection class II/protective insulation
Power input	1350 W
Suitable for bore diameter	20 mm
Max. saw-blade diameter	165 mm
Min./max. mitre angle	45-90 Degree
Max. cutting depth at 90 degrees	63 mm
Max. cutting depth at 45 degrees	47.5 mm
Weight of machine	3.8 kg
Cable length	4 m

Contents for art. no. 5706 610 0

Designation	Art. no.	Quantity
Hand-held circular saw blade For cordless tools	0610 716 536	1

Related products

	Art. no.
Circular saw blade, wood For hand-held circular saw HKS 52	0610 122 043
Hand-held circular saw blade For cordless tools	0610 716 536
Screw clamp for circular saw	0702 155 2
Connection sleeve for ETS 150/hollow drill bit	0702 400 255
Guide rail for circular saw Length 80 cm	5706 600 001
Guide rail for circular saw Length 160 cm	5706 600 002

Two-hand angle grinder EWS 24-230



2400-watt angle grinder for disks with max. 230 mm diameter.

Optimum working position

Handle can be rotated in 90° steps

Less fatigue when working

Very slim housing and vibration damping on both handles

Twist-resistant protective guard

- The hood cannot become twisted during work, offering ideal protection for the user
- Adjustable without tools, for rapid and effective work

Recoil protection

If the disc suddenly blocks, the power supply to the motor is interrupted, considerably reducing the risk of injury.

Overload indicator

To prevent motor damage, an LED comes on if the unit becomes overloaded.

On/Off switch with intelligent electronics

- Restart protection
- Overload protection
- Soft start

Optimised dust-protection concept

- Double labyrinth seals for ball bearing
- Enclosed switch
- Cool air is sucked in at the rear ventilation slots and blown out at the gear head at the front

2 Years WÜRTH MASTERPLUS Warranty for wear damage

The current WÜRTH MASTERPLUS warranty conditions must be observed.

Nominal voltage	230 V/AC
Frequency	50 Hz
Protection class	Protection class II/protective insulation
Power input	2400 W
Max. idle speed	6600 rpm
Max. cutting disc diameter	230 mm
Thread type x spindle-thread diameter	M14
Weight of machine	5.8 kg
Cable length	4 m



Excluded are damages caused by improper use, overloading or failure to observe the operating instructions.

Art. no. 0702 446 10

P. Qty.: 1

Individually boxed

Details/Application



Contents for art. no. 0702 446 10

Designation	Art. no.	Quantity
Face wrench, straight	0702 489 904	1
Clamping flange	0708 414 032	1
Handle	0708 445 001	1
Clamping nut	0708 445 031	1
Parts set	0708 445 056	1

Related products

Case for angle grinders up to Ø 230

Art. no.

0955 702 496

Hammer drill/chipping hammer BMH 45-XE

Powerful and anti-vibration 8-kg hammer drill/chipping hammer with SDS-max drive arbour.

Comfortable working

No need to hold switch continually during prolonged chiselling work.

Adjustable drilling and impact power

The power can be reduced or increased by simply turning the electronic adjusting wheel.

Indication of malfunctions

The service LED indicates malfunctions and an imminent carbon brush replacement.

Rapid drilling progress and extremely smooth running

The anti-vibration system protects the user's joints. Shorter drilling times with high impact power.

Low-fatigue work

The 12 lockable chisel settings allow adjustment to any working angle.

Warranty

2 Years Warranty on manufacturing and material defects. Excluded are damages caused by improper use, overloading or failure to observe the operating instructions. The current WÜRTH MASTER warranty conditions must be observed.

Art. No. 0702 557 1

P. ty.: 1



Nominal voltage	230 V/AC
Frequency	50 Hz
Protection class	Protection class II/protective insulation
Power input	1500 W
Power output	810 W
Min./max. idle speed	0-305 rpm
Min./max. impact rate	1380-2760 rpm
Tool holding device	Suitable for SDS-max
Impact energy	12.5 J
Min./max. drilling diameter in concrete	12-45 mm
Min./max. recommended drilling range for optimum performance (in concrete)	20-40 mm
Max. drilling diameter of breakthrough drill in concrete	80 mm
Max. drilling capacity (volume) in concrete per minute	221 cm ³
Max. chiselling power in concrete	250 kg/h
Max. drilling diameter of hollow drill bit in masonry	125 mm
Weight of machine	8.9 kg
Cable length	4 m

Contents for Art. No. 0702 557 1		
Designation	Art. No.	Quantity
Handle		1
Maintenance spray 100 ml	0893 051 702	1
Machine case		1

Related products for	Designation	Art. No.
0702 557 1	Concrete milling crown Max	0638 845 450
	Point chisel with SDS-max drive arbor	0647 040 0
	Flat chisel with SDS-max drive arbor	0647 040 025
	Hammer drill bit with SDS-max drive arbor Quadro-S	0647 701 234
	Premium tile chisel with SDS-max drive arbor	0647 855 50